



BAR1

| Dimensions (mm) | External | Internal |
|-----------------|----------|-------------|
| Height | 900 | |
| Width | 598 | |
| Depth | 520 | |
| Capacity (ltr) | | |
| Gross | | 135BTL/128L |
| Net | | 110L |



BAR2

| Dimensions (mm) | External | Internal |
|-----------------|----------|-------------|
| Height | 900 | |
| Width | 903 | |
| Depth | 520 | |
| Capacity (ltr) | | |
| Gross | | 202BTL/200L |
| Net | | 159L |



BAR2SL

| Dimensions (mm) | External | Internal |
|-----------------|----------|-------------|
| Height | 900 | |
| Width | 903 | |
| Depth | 511 | |
| Capacity (ltr) | | |
| Gross | | 202BTL/200L |
| Net | | 159L |



BAR3

| Dimensions (mm) | External | Internal |
|-----------------|----------|-------------|
| Height | 900 | |
| Width | 1353 | |
| Depth | 520 | |
| Capacity (ltr) | | |
| Gross | | 338BTL/310L |
| Net | | 248L |



BAR3SL

| Dimensions (mm) | External | Internal |
|-----------------|----------|-------------|
| Height | 900 | |
| Width | 1353 | |
| Depth | 511 | |
| Capacity (ltr) | | |
| Gross | | 338BTL/310L |
| Net | | 248L |

Features

- Black laminated exterior; Aluminium stippled interior
- Self closing, double glazed door (s)
- 2 adjustable shelves per door
- Lock fitted as standard
- Internal LED illumination
- Replaceable door gasket
- Optional - chrome plated scalloped wine shelf (each shelf holds 4 bottles)

Additional Extras


- W4-SHELF01 - Shelf for BAR1
- W4-SHELF02 - Shelf for BAR2(SL)+BAR3(SL)
- W4-SHELF04 - Middle shelf for BAR3(SL)
- W4-SHELF05 - Wine shelf for BAR1
- W4-SHELF06 - Wine shelf for BAR2(SL)+3(SL)
- W4-SHELF07 - Wine shelf middle for BAR3(SL)
- W4-SEAL01A - Gasket for BAR1
- W4-SEAL02A - Gasket for BAR2,3
- W4-CLIP01 - Shelf clip (4 per shelf)
- W4-SEAL02A - Gasket for BAR2,3




Technical Specification

| | BAR1 | BAR2 | BAR2SL | BAR3 | BAR3SL |
|-------------------------------|--------------|--------------|--------------|--------------|--------------|
| Temperature Range | +4°C ~ +12°C | +4°C ~ +12°C | +4°C ~ +12°C | +4°C ~ +12°C | +4°C ~ +12°C |
| Climate Class | 4 | 4 | 4 | 4 | 4 |
| Power Supply | 13amp | 13amp | 13amp | 13amp | 13amp |
| Cooling | Fan assisted | Fan assisted | Fan assisted | Fan assisted | Fan assisted |
| Defrost | Automatic | Automatic | Automatic | Automatic | Automatic |
| Noise Level | 53db | 54db | 54db | 59db | 59db |
| Refrigerant | R600A | R600A | R600A | R600A | R600A |
| Energy Efficiency Class | D | D | D | F | F |
| Energy Consumption (kw/24hrs) | 1.50 | 1.80 | 2.00 | 4.00 | 4.50 |
| Power Usage (w) | 165 | 185 | 185 | 320 | 320 |
| Weight (kg) | 44 | 59 | 59 | 91 | 91 |


BAR1




BAR2



BAR2SL



BAR3



BAR3SL

